






# Rémy Greinhofer

Senior Engineer, ShipStation Open-Austin project leader

# Organization

Automation



### **Standards**

- Service API must be defined using the OpenAPI 3+ specification (https://github.com/OAI/OpenAPI-Specification/blob/master/versions/3.0.2.md)
  - Zalando provides very good RESTful API Guidelines worth following
- Projects must provide a way to build artifacts using standard tools (i.e. no custom scripts made for a specific machine/environment)
  - o a package or binary depending on the language
  - o a docker image
- · Projects must comply with CI tasks
  - Formatter
  - Linters
    - Code
    - Docstrings
  - Static analyzers
  - Documentation
  - Unit test
  - Coverage
    - Must never regress
    - Think about your teammates who worked on increasing this coverage
    - Use online services like https://coveralls.io/ or https://codecov.io/
    - Use feature tests
      - Try to cover 100% of use cases
        - This is more important the unit test coverage
        - It will end up increasing unit test coverage anywway
- Projects must include a Changelog following the "Keep a Changelog" recommendation (https://keepachangelog.com/en/1.0.0/)
- Project must adhere to Semantic Versioning (https://semver.org/spec/v2.0.0.html)
- Projects must use templates
  - Issues
  - Pull Request
- Projects must be documented
- · Projects must automate all their maintenance tasks
  - o Must ensure reproducibility
  - A Makefile or a package json at the root of the project is a good example of how to automate maintenance tasks. The commands must be backed by a set of bash scripts.

- Clear guidelines
- Tool agnostic
- Focus on concepts

## **Expectations**





### Onboarding

You will need Python 3 invoke and nox:

pip3 install --user nox invoke

Setup a local dev environment:

inv
source venv/bin/activate

Run the CI tasks locally

inv nox -s ci

Only a few lines of instructions

Fully automated

# NO WIKI!

Multi-platform

Next level: setup scripts at the OS level (brew, chocolatey, etc.)

### **Templates**

```
Issue Type
-----
<!-- Define the type of issue you are reporting. -->
- Bug report
- Feature request
Current Behavior
<!-- Tell us what is currently happening. -->
Expected Behavior
If you are reporting a bug, tell us what should happen.
If you are suggesting a change/improvement, tell us how it should work,
how it differs from the current implementation.
-->
Possible Solution
Suggest a fix/reason for the bug, or ideas how to implement the
addition or change. Delete if not applicable/relevant.
-->
<!-- Information bellow this line is *ONLY* for bug reports.
<!-- Delete these sections if you're filing a Feature request. -->
Steps to Reproduce
-----
Provide a link to a live example, or an unambiguous set of steps to
reproduce this bug. Include code to reproduce, if relevant.
-->
2.
Context
<!--
How has this issue affected you? What are you trying to accomplish?
```

Providing context helps us come up with a solution that is most useful

in the real world.

-->

### **Issue Type**

- Bug report
- Feature request

### **Current Behavior**

### **Expected Behavior**


#### **Possible Solution**

### **Steps to Reproduce**

- 1
- 2.
- 3.

#### Context

# Organize your tickets





100% complete 0 open 13 closed



#### Beyond the next level

Closed now ① Last updated less than a minute ago
ScrAPD is in a very good shape. It is the perfect time to pickup the
very low hang fruits, as well as sharpening our saws.

1.5.2 - Keep the code clean

Closed on Jun 19 ① Last updated about 1 month ago


As the code base grows we want to be sure that it stays clean and that we can easily onboard new people.

Edit Reopen Delete

100% complete 0 open 16 closed

Edit Reopen Delete

Back to school
Updated 8 days ago



In progress

Provide detailed information when clicking map markers scrapdviz#130 opened by rgreinho kind/enhancement


Maps of darkness

Connect the ScrAPD tools together scrapdviz#131 opened by rgreinho kind/enhancement

Intuitiveness and usability

Unspoken rules
scrapdviz#121 opened by rgreinho kind/enhancement

Intuitiveness and usability



environment/dev	Developer environment
environment/prod	Production environment
exp/beginner	Good for newcomers
exp/expert	I have nothing else to teach you
exp/intermediate	Show off your skills
feedback/discussion	Discuss a specific aspect of the project
feedback/question	Further information is requested
kind/bug	Something isn't working
kind/design	Visual aspect
kind/docs	Document the project
kind/enhancement	Improve an existing feature
kind/feature	New feature or request
kind/optimization	Optimize an existing feature
no-mergify	Prevents Mergify from auto-merging the PR
size/L	
size/M	
size/S	
size/XL	
size/XS	
size/XXL	
status/claimed	Assigned
status/duplicate	This issue or pull request already exists
status/help wanted	Could use an extra brain
status/invalid	No further triaging
status/more info needed	Needs clarification
status/wontfix	Fix is too controversial or do not want to implement it
wontfix	

### Contributing

#### Guidelines

- Use the provided templates to file an Issue or a Pull Request.
- Create a topic branch from where you want to base your work.
- · We follow the Open Stack Coding Guidelines.
- For formatting the files properly, please use <u>YAPF</u>. In the root directory of the project, run the following command: make format.
- Make sure you added tests to validate your changes.
- Run all the tests to ensure nothing else was accidentally broken.
- Commit messages must start with a capitalized and short summary (max. 50 chars) written in the imperative, followed by an optional, more detailed explanatory text which is separated from the summary by an empty line.
- Commit messages should follow best practices, including explaining the context of the problem and how
  it was solved, including in caveats or follow up changes required. They should tell the story of the change
  and provide readers understanding of what led to it. Please refer to How to Write a Git Commit Message
  for more details.
- If your Pull Request is a work in progress, create it as a Draft Pull Request.
- Any <u>Pull Request</u> inactive for 28 days will be automatically closed. If you need more time to work on it, ask maintainers, to add the appropriate label to it. Use the <u>@scrapd/scrapper</u> mention in the comments.
- Unless explicitly asked, <u>Pull Request</u> which don't pass all the CI checks will not be reviewed. Use the @scrapd/scrapper mention in the comments if to ask maintainers to help you.

#### Commit example

Use Docker Hub build environment values

Uses the Docker Hub build environment values in order to ensure the correct version of ScrAPD is installed into the image.

Fixes scrapd/scrapd#54

The following commit is a good example as:

- 1. The fist line is a short description and starts with an imperative verb
- 2. The first paragraph describes why this commit may be useful
- 3. The last line points to an existing issue and will automatically close it.

# Automated checks

#### 9 checks passed

- ✓ Summary 1 potential rule
- ci/circleci: docs Your tests passed on CircleCI!
- ✓ ci/circleci: format Your tests passed on CircleCI!
- ✓ ci/circleci: lint Your tests passed on CircleCI!
- ✓ ci/circleci: prepare Your tests passed on CircleCI!
- ✓ ci/circleci: test-integrations Your tests passed on CircleCI!
- ✓ ci/circleci: test-units Your tests passed on CircleCI!
- ✓ coverage/coveralls Coverage remained the same at 100.0%
- ✓ security/snyk requirements.txt (rgreinho) No manifest changes detected

- Set it up BEFORE coding
- LIFE SUPPORT
- Do not review if checks failed
  - Unless asked for help
- Use "draft" feature

# AVOID

merging PRs manually!

Branch protection + Mergify

**AUTOMERGE** 



### Changelog

[2.1.0] - 2019-07-17

#### Added

- Add CLI flags to parametrize retries at runtime. #159
- Add tasks to do some profiling of the application. #163
- Improve logging ability by adding more details about a parsing failure. #167


### Changed

Use nox and invoke for task management execution instead of make.

### **Fixed**

- Fix Deceased field parsing:
  - o to support date of birth with the following format August 30, 1966. #155
  - o to support describing the age instead of the date of birth (i.e. 19 years of age).#172
- Fix Location field parsing to support additional internal formats. #169
- Fix Date field parsing to support single digit 12 hour format like 8 p.m..#171
- Fix issues where the notes where either not parsed, or incorrectly parsed. #166

### Deployment



Think about it from the start

### Cookiecutter

### cookiecutter https://github.com/rgreinho/python-cookiecutter

```
project_name [project]: demo
project_short_description [Describe your project in one line.]: A cookiecutter demo
prefix [ORG]: SCRAPD
author [author name]: Rémy Greinhofer
author email [author@company.com]: remy@greinho.fr
version [0.1.0]:
vear [2017]: 2019
license [MIT]:
Initialized empty Git repository in /private/tmp/cookiecutter/demo/.git/
[master (root-commit) bfc547a] Initial Cookiecutter Commit.
 44 files changed, 1768 insertions(+)
 create mode 100644 .circleci/config.yml
 create mode 100755 .circleci/init-gh-pages.sh
 create mode 100755 .circleci/publish.sh
 create mode 100644 .coveragerc
 create mode 100644 .dockerignore
 create mode 100644 .editorconfig
 create mode 100644 .github/CONTRIBUTING.rst
 create mode 100644 .github/ISSUE TEMPLATE.md
 create mode 100644 .github/PULL_REQUEST_TEMPLATE.md
 create mode 100644 .gitignore
```

# **AUTOMATE** repetitive tasks

